

121925
DOD Hazardous Materials Information System

DoD 6050.5-L

AS OF July 1998

FSC: 6850
NIIN: 001889875
Manufacturer's CAGE: 7X274
Part No. Indicator: A
Part Number/Trade Name: LENS CLEANER

=====
=====

General Information

=====
=====

Item Name: CLEANING COMPOUND,OPTICAL LENS
Company's Name: MMM SUPPLY
Company's Street: 1734 HAYES AVENUE
Company's P. O. Box:
Company's City: LONG BEACH
Company's State: CA
Company's Country: US
Company's Zip Code: 90813-1145
Company's Emerg Ph #: 213-590-8633
Company's Info Ph #: 213-590-8633
Distributor/Vendor # 1:
Distributor/Vendor # 1 Cage:
Distributor/Vendor # 2:
Distributor/Vendor # 2 Cage:
Distributor/Vendor # 3:
Distributor/Vendor # 3 Cage:
Distributor/Vendor # 4:
Distributor/Vendor # 4 Cage:
Safety Data Action Code:
Safety Focal Point: D
Record No. For Safety Entry: 009
Tot Safety Entries This Stk#: 009
Status: SD
Date MSDS Prepared: 09APR92
Safety Data Review Date: 09APR92
Supply Item Manager: CX
MSDS Preparer's Name: DOD-HMIS (DGSC-SSH)
Preparer's Company: DEFENSE GENERAL SUPPLY CENTER
Preparer's St Or P. O. Box: 8000 JEFFERSON DAVIS HIGHWAY
Preparer's City: RICHMOND
Preparer's State: VA
Preparer's Zip Code: 23297-5680

121925

Other MSDS Number:
MSDS Serial Number: BMGWW
Specification Number: MIL-C-43454
Spec Type, Grade, Class: TYPE II
Hazard Characteristic Code: F3
Unit Of Issue: QT
Unit Of Issue Container Qty: 1 QUART
Type Of Container: PPP-C-186
Net Unit Weight:

Report for NIIN: 001889875

NRC/State License Number: N/R
Net Explosive Weight:
Net Propellant Weight-Ammo: N/R
Coast Guard Ammunition Code:

=====
=====

Ingredients/Identity Information

=====
=====

Proprietary: NO
Ingredient: ETHYL ALCOHOL (ETHANOL)
Ingredient Sequence Number: 01
Percent: 54.15
Ingredient Action Code:
Ingredient Focal Point: D
NIOSH (RTECS) Number: KQ6300000
CAS Number: 64-17-5
OSHA PEL: 1000 PPM
ACGIH TLV: 1000 PPM; 9192
Other Recommended Limit: NONE SPECIFIED

Proprietary: NO
Ingredient: METHYL ALCOHOL (METHANOL) (SARA III)
Ingredient Sequence Number: 02
Percent: 2.85
Ingredient Action Code:
Ingredient Focal Point: D
NIOSH (RTECS) Number: PC1400000
CAS Number: 67-56-1
OSHA PEL: S,200PPM/250STEL
ACGIH TLV: S,200PPM/250STEL; 93
Other Recommended Limit: NONE SPECIFIED

Proprietary: NO
Ingredient: DETERGENTS, MIL-D-16791, TYPE I
Ingredient Sequence Number: 03

121925

Percent: 0.15
Ingredient Action Code:
Ingredient Focal Point: D
NIOSH (RTECS) Number: 1000066DT
CAS Number:
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NONE SPECIFIED

Proprietary: NO
Ingredient: WATER
Ingredient Sequence Number: 04
Percent: 42.9
Ingredient Action Code:
Ingredient Focal Point: D
NIOSH (RTECS) Number: ZC0110000
CAS Number: 7732-18-5
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

121925

Evaporation Rate And Ref: UNKNOWN
Solubility In Water: COMPLETE
Percent Volatiles By Volume: 99.85
Viscosity: UNKNOWN

pH: N/K

Radioactivity:

Form (Radioactive Matl):

Magnetism (Milligauss): N/P

Corrosion Rate (IPY): UNKNOWN

Autoignition Temperature:

=====
=====

Fire and Explosion Hazard Data

=====
=====

Flash Point: 60.0F,15.6C

Flash Point Method: TCC

Lower Explosive Limit: UNKNOWN

Upper Explosive Limit: UNKNOWN

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMI
CAL.

Special Fire Fighting Proc: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AN
D A

FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTA
INERS

WITH WATER SPRAY.

Unusual Fire And Expl Hazrds: COMBUSTION OR HEAT OF FIRE MAY PRODUCE
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

=====
=====

Reactivity Data

=====
=====

Stability: YES

Cond To Avoid (Stability): HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF
IGNITION

Report for NIIN: 001889875

Materials To Avoid: STRONG OXIDIZING AGENTS

Hazardous Decomp Products: CARBON MONOXIDE CAN FORM ON INCOMPLETE
COMBUSTION.

Hazardous Poly Occur: NO

Conditions To Avoid (Poly): NOT APPLICABLE

=====
=====

Health Hazard Data

=====
=====

121925

=====

LD50-LC50 Mixture: LD50 (ORAL RAT) IS UNKNOWN

Route Of Entry - Inhalation: YES

Route Of Entry - Skin: YES

Route Of Entry - Ingestion: YES

Health Haz Acute And Chronic: METHANOL, (THE DENATURANT USED IN THE ALC
OHOL

PORTION OF THE FORMULA) IS TOXIC CAUSING CENTRAL NERVOUS SYSTEM DEPRES
SION.

TOXICITY VARIES WITH AS LITTLE AS 4 ML INGESTED BEING TOXIC. METHANOL
IS

VERY TOXIC TO THE OPTIC NERVE, CAUSING SIGHT DISTURBANCES AND BLINDNES
S

WELL BELOW THE TOXIC AMOUNT. ALSO AN IRRITANT.

Carcinogenicity - NTP: NO

Carcinogenicity - IARC: NO

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: NONE OF THE COMPOUNDS IN THIS PRODUCT IS
LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Signs/Symptoms Of Overexp: EYE:IRRITATION. SKIN:IRRITATION, DEFATTING.
INHALED:HEADACHE,DROWSINESS,LASSITUDE,LOSS OF APPETITE,INABILITY TO
CONCENTRATE. INGESTED:G/I IRRITATION,NAUSEA,VOMITING,DIARRHEA,CENTRAL
NERVOUS SYSTEM DEPRESSION.

Med Cond Aggravated By Exp: PERSONS WITH A HISTORY OF AILMENTS OR WITH
A

PRE-EXISTING DISEASE INVOLVING THE SKIN, EYE, RESPIRATORY TRACT, LIVER
OR

KIDNEY MAY BE AT INCREASED RISK FROM EXPOSURE.

Emergency/First Aid Proc: EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN.

SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDRER
BEFORE REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESS
ARY.

INGESTED:DO NOT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR WATER
AND

GET IMMEDIATE MEDICAL CARE. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. IF
IRRITATION PERSISTS OR IS SEVERE,SEE A DOCTOR.

=====
=====

Precautions for Safe Handling and Use

=====
=====

Steps If Matl Released/Spill: ELIMINATE SOURCES OF IGNITION. VENTILATE

121925

REGULATIONS. DGSD-SSH SUGGESTS THAT DISPOSAL MAY BE DONE BY INCINERATION.

Precautions-Handling/Storing: STORE AS A FLAMMABLE LIQUID. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions: 'EMPTY' CONTAINERS MAY CONTAIN RESIDUE OR VAPORS. TREAT THEM WITH ALL THE PRECAUTIONS DUE FULL ONES.

Report for NIIN: 001889875

=====
=====

Control Measures

=====
=====

Respiratory Protection: RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR OR RESPIRATOR FOR ORGANIC VAPOR

IF EXPOSURE IS ABOVE THE TLV/PEL. SEE 29 CFR 1910.134 FOR REGULATIONS PERTAINING TO RESPIRATOR USE.

Ventilation: MECHANICAL (GENERAL) ROOM VENTILATION IS NORMALLY ADEQUATE.

LOCAL EXHAUST MAY BE REQUIRED IF WORK AREA NOT VENTED.

Protective Gloves: NEOPRENE, NITRILE, PVC OR NATURAL RUBBER

Eye Protection: SAFETY GLASSES OR SPLASH GOGGLES

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Suppl. Safety & Health Data: MMM SUPPLY IS OUT OF BUSINESS. MSDS IS WRITTEN AROUND THE SPECIFICATION FORMULA.

=====
=====

Transportation Data

=====
=====

Transportation Action Code:

Transportation Focal Point: D

Trans Data Review Date: 92100

DOT PSN Code: GJJ

DOT Symbol:

DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.

DOT Class: 3

DOT ID Number: UN1993

DOT Pack Group: II

DOT Label: FLAMMABLE LIQUID

121925

DOT/DoD Exemption Number:
 IMO PSN Code: HIN
 IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o
 IMO Regulations Page Number: 3230
 IMO UN Number: 1993
 IMO UN Class: 3.2
 IMO Subsidiary Risk Label: -
 IATA PSN Code: MBV
 IATA UN ID Number: 1993
 IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. *
 IATA UN Class: 3
 IATA Subsidiary Risk Class:
 IATA Label: FLAMMABLE LIQUID
 AFI PSN Code: MBV
 AFI Symbols:
 AFI Prop. Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
 AFI Class: 3
 AFI ID Number: UN1993
 AFI Pack Group: II
 AFI Label:
 AFI Special Prov:
 AFI Basic Pac Ref: 7-7
 MMAC Code:

Report for NIIN: 001889875

N.O.S. Shipping Name: ETHANOL,METHANOL
 Additional Trans Data:

=====
 =====

Disposal Data

=====
 =====

Disposal Data Action Code:
 Disposal Data Focal Point:
 Disposal Data Review Date:
 Rec # For This Disp Entry:
 Tot Disp Entries Per NSN:
 Landfill Ban Item:
 Disposal Supplemental Data:
 1st EPA Haz Wst Code New:
 1st EPA Haz Wst Name New:
 1st EPA Haz Wst Char New:
 1st EPA Acute Hazard New:
 2nd EPA Haz Wst Code New:
 2nd EPA Haz Wst Name New:
 2nd EPA Haz Wst Char New:
 2nd EPA Acute Hazard New:

121925

3rd EPA Haz Wst Code New:
3rd EPA Haz Wst Name New:
3rd EPA Haz Wst Char New:
3rd EPA Acute Hazard New:

=====
=====

Label Data

=====
=====

Label Required: YES
Technical Review Date: 09APR92
Label Date:
MFR Label Number: NONE
Label Status: F
Common Name: LENS CLEANER
Chronic Hazard: N/P
Signal Word: DANGER!
Acute Health Hazard-None:
Acute Health Hazard-Slight: X
Acute Health Hazard-Moderate:
Acute Health Hazard-Severe:
Contact Hazard-None: X
Contact Hazard-Slight:
Contact Hazard-Moderate:
Contact Hazard-Severe:
Fire Hazard-None:
Fire Hazard-Slight:
Fire Hazard-Moderate:
Fire Hazard-Severe: X
Reactivity Hazard-None: X
Reactivity Hazard-Slight:
Reactivity Hazard-Moderate:
Reactivity Hazard-Severe:
Special Hazard Precautions: FLAMMABLE LIQUID AND VAPOR. KEEP AWAY FROM
HEAT, SPARKS, AND FLAME. KEEP CONTAINER CLOSED. USE WITH ADEQUATE

Report for NIIN: 001889875

VENTILATION. IN CASE OF FIRE, USE WATER SPRAY, FOAM, DRY CHEMICAL, OR
CO2.
METHANOL, (THE DENATURANT USED IN THE ALCOHOL PORTION OF THE FORMULA) I
S
TOXIC CAUSING CENTRAL NERVOUS SYSTEM DEPRESSION. TOXICITY VARIES WITH
AS
LITTLE AS 4 ML INGESTED BEING TOXIC. METHANOL IS VERY TOXIC TO THE OPT
IC
NERVE, CAUSING SIGHT DISTURBANCES AND BLINDNESS WELL BELOW THE TOXIC
AMOUNT. ALSO AN IRRITANT. IN CASE OF SPILL: ELIMINATE SOURCES OF IGNIT

121925

ION.

VENTILATE AREA. WEAR APPROPRIATE RESPIRATORY PROTECTION AND PROTECTIVE CLOTHING. RECOVER OR ABSORB.

Protect Eye:

Protect Skin:

Protect Respiratory:

Label Name: MMM SUPPLY

Label Street: 1734 HAYES AVENUE

Label P.O. Box:

Label City: LONG BEACH

Label State: CA

Label Zip Code: 90813-1145

Label Country: US

Label Emergency Number: 213-590-8633

Year Procured: 1985